



South Coast Air Quality Management District
21865 E. Copley Drive, P.O. Box 4941, Diamond Bar 91765-0941

DATE OF INSPECTION: 12/11/03



NOTICE TO COMPLY

The following numbered Notices to Comply (served concurrently herewith) constitute parts of this Notice to Comply: Notice #(s):

FACILITY NAME: <u>HUDD DISTRIBUTION SERVICES INC</u>		FACILITY ID #: <u>138823</u> NEW	
LOCATION ADDRESS: <u>5011 FIRESTONE PL.</u>		MAILING ADDRESS:	
CITY: <u>SOUTH GATE</u>	ZIP: <u>90280</u>	CITY:	ZIP:
SECTOR: <u>LC</u>		TELEPHONE #: <u>(323) 568-2603</u>	

YOU ARE DIRECTED TO COMPLY WITH:				REPLY REPORT BY CITED FACILITY: (attach additional pages as necessary)	
ITEM #	• AQMD Permit # or Equipment Desc. • AQMD Rule # • Cal H&S Code §	A MEANS OF ACHIEVING COMPLIANCE IS:	DATE COMPLIANCE DUE	DATE COMPLIANCE ACHIEVED	DESCRIPTION OF HOW COMPLIANCE WAS ACHIEVED
1	42303	PROVIDE INFORMATION REGARDING THE BHP, FOR THE PERKINS EMERGENCY	12/18/03		
2		ICE, SERIAL# Y8506041708579	12/18/03		
3					

SERVED TO: <u>LEWIS FARRAS JR</u>	BY INSPECTOR: <u>LALO BAKHOUM</u>	SIGNATURE OF OWNER/RESPONSIBLE OFFICIAL:
TITLE: <u>FACILITY MGR</u>	TELEPHONE: <u>(909) 396-2240</u>	TITLE:
DATE: <u>12/11/03</u>		DATE:

INSTRUCTION/INFORMATION:

- For each minor violation cited compliance shall be achieved by the due date specified above for that particular violation.
- Within 5 working days of achieving compliance for each respective violation, the owner/responsible officer of the cited facility must complete and return a signed copy of this Notice to the South Coast Air Quality Management District at the address listed above. Please copy this Notice as many times as necessary to provide the required information. On each copy, include a written statement describing when and how compliance was achieved. Send all completed copies to the attention of the inspector named above.
- Failure to respond or a false statement that compliance has been achieved is a violation subject to further legal action pursuant to the California Health and safety Code.
- Any person issued a Notice to Comply may appeal the issuance by filing a written appeal, including all reasons for the appeal, with the South Coast Air Quality Management District at the address listed above within 7 days of receipt of the Notice.
- The facility cited in this Notice is subject to reinspection at any time to ensure compliance.

NO. C 87573 SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

FILE COPY (blue) SOURCE COPY (gold) INSPECTOR COPY (white)

ID# 138823 DATE LOGGED 12-19 BY OS
FOLLOW-UP INSP. DATE 12/18/03 BY LB02
STATUS: IN COMPL.(✓) V.N.# P42320 VAR.#
FOLLOW-UP DATE LOGGED 1/6/03 BY Q